

Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn

Basic Inform	nation	
Product Name	Anti-CD11c/Integrin Alpha X/ITGAX Antibody	
Gene Name	ltgax	
Source	Rabbit	
lsotype	IgG	
Species Reactivity	mouse, rat	
Tested Application	WB, IHC, ELISA	
Contents	500 ug/ml antibody with PBS $_2$ 0.02% NaN3 , 1 mg BSA and 50% glycerol.	
Immunogen	E.coli-derived mouse CD11c/Itgax recombinant protein (Position: P140-T342).	
concentration	500 ug/ml	
Purification	Immunogen affinity purified.	
Observed MW	128KD	
Dilution Ratios	Western blot(WB): Immunohistochemistry in paraffin section (IHC): ELISA: (Boiling the paraffin sections in 10mM citrate buffer mins is required for the staining of formalin/paraffir must be determined by end user.	

Storage

12 months from date of receipt, -20° C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.

Background Information

CD11c, also known as Integrin, alpha X (complement component 3 receptor 4 subunit) (ITGAX), is a genethat encodes for CD11c. This gene encodes the integrin alpha X chain protein. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. This protein combines with the beta 2 chain (ITGB2) to form a leukocyte-specific integrin referred to as inactivated-C3b (iC3b) receptor 4 (CR4). The alpha X beta 2 complex seems to overlap the properties of the alpha M beta 2 integrin in the adherence of neutrophils and monocytes to stimulated endothelium cells, and in the phagocytosis of complement coated particles. Two transcript variants encoding different isoforms have been found for this gene.

Selected Validation Data

Product datasheet Anti-CD11c/Integrin Alpha X/ITGAX Antibody Catalog Number: A00357-3





Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn

Figure 1. Western blot analysis of anti- CD11c/Itgax Antibody (A00357-3). The sample well of each lane was loaded with 50ug of sample under reducing conditions. Lane 1: mouse lung tissue lysates. Use rabbit anti- Itgax 1:1000, probed with a goat anti-rabbit IgG-HRP secondary antibody. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002). A specific band was detected for Itgax at approximately 127KD. The expected band size for Itgax is at 129KD.