Product datasheet Anti-CARD4/NOD1 Antibody

Catalog Number: A00495-1



BOSTER BIOLOGICAL TECHNOLOGY

Special NO.1, International Enterprise Center, 2nd Guanshan Road, Wuhan, China

Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn

Basic Information	
Anti-CARD4/NOD1 Antibody	
NOD1	
Rabbit	
IgG	
human, monkey	
WB	
500 ug/ml antibody with PBS ,0.02% NaN3 , 1 mg BSA and 50% glycerol.	
A synthetic peptide corresponding to a sequence of human CARD4/NOD1 (NQTLKHLWLIQNQITAK).	
500 ug/ml	
Immunogen affinity purified.	
107KD	
Western blot(WB):1:500-2000	

Storage

12 months from date of receipt, -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.

Background Information

Nucleotide-binding oligomerization domain-containing protein 1, also known as CARD4, is a protein receptor that in humans is encoded by the NOD1 gene. NOD1 is a member of NOD-like receptor protein family and is a close relative of NOD2. NOD1 is mapped to 7p14.3. It recognizes bacterial molecules and stimulates an immune reaction. NOD1 protein contains a caspase recruitment domain (CARD). This gene is an intracellular pattern recognition receptor, which is similar in structure to resistant proteins of plants, and mediates innate and acquired immunity by recognizing bacterial molecules containing D-glutamyl-meso-diaminopimelic acid (iE-DAP) moiety. What wore, it has been shown that NOD1 can sense cytosolic microbial products by monitoring the activation state of small Rho GTPases.

Selected Validation Data

Product datasheet

Anti-CARD4/NOD1 Antibody

Catalog Number: A00495-1



BOSTER BIOLOGICAL TECHNOLOGY

Special NO.1, International Enterprise Center, 2nd Guanshan Road, Wuhan, China

Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn




Figure 1. Western blot analysis of anti- NOD1 antibody (A00495-1). The sample well of each lane was loaded with 50ug of sample under reducing conditions. Lane 1: monkey heart tissue lysates, Lane 2: monkey skeletal muscle tissue lysates. Use rabbit anti- NOD1 1:1000, probed with a goat anti-rabbit IgG-HRP secondary antibody. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002). A specific band was detected for NOD1 at approximately 107KD. The expected band size for NOD1 is at 107KD.