

Basic Information

Product Name	Anti-SMAD7 Antibody
Gene Name	SMAD7
Source	Rabbit
Isotype	IgG
Species Reactivity	human
Tested Application	WB, ELISA
Contents	500 ug/ml antibody with PBS , 0.02% NaN3 , 1 mg BSA and 50% glycerol.
Immunogen	E.coli-derived human MADH7/SMAD7 recombinant protein (Position: R353-Q388).
concentration	500 ug/ml
Purification	Immunogen affinity purified.
Observed MW	50KD
Dilution Ratios	Western blot(WB):1:500-2000 ELISA: 1:100-1000

Storage

12 months from date of receipt, -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.

Background Information

Mothers against decapentaplegic homolog 7 or SMAD7 is a protein that in humans is encoded by the SMAD7 gene. The protein encoded by this gene is a nuclear protein that binds the E3 ubiquitin ligase SMURF2. Upon binding, this complex translocates to the cytoplasm, where it interacts with TGF-beta receptor type-1 (TGFB1), leading to the degradation of both the encoded protein and TGFB1. Expression of this gene is induced by TGFB1. Variations in this gene are a cause of susceptibility to colorectal cancer type 3 (CRC3). Several transcript variants encoding different isoforms have been found for this gene.

Reference

Anti-SMAD7 Antibody被引用在3文献中。

Selected Validation Data




Figure 1. Western blot analysis of anti- SMAD7 antibody (A00784-1).The sample well of each lane was loaded with 50ug of sample under reducing conditions.Lane 1: human K562 whole cell lysates,Lane 2: human HEK293 whole cell lysates.Use rabbit anti-SMAD7 1:1000, probed with a goat anti-rabbit IgG-HRP secondary antibody. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002). A specific band was detected for SMAD7at approximately 50KD. The expected band size for SMAD7 is at 50KD.