

Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn

Basic Information		
Product Name	Anti-ERK1/MAPK3 Antibody	
Gene Name	МАРКЗ	
Source	Rabbit	
Isotype	lgG	
Species Reactivity	human, mouse	
Tested Application	WB, IHC, ICC/IF, IP, FCM	
Contents	500 ug/ml;Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	
Immunogen	A synthesized peptide derived from human ERK1	
concentration	500 ug/ml	
Purification	Affinity-chromatography	
Observed MW	43KD	
Dilution Ratios	Western blot (WB): Immunohistochemistry in paraffin section (IHC): Immunocytochemistry/Immunofluorescence(ICC/II Immunocoprecipitation: Flow cytometry (FCM):	1:500-2000 1:20-100 F):1:20-100 1:20 1:20

Storage

12 months from date of receipt, -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.

Background Information

Mitogen-activated protein kinase 3 is an enzyme that in humans is encoded by the MAPK3 gene. The protein encoded by this gene is a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act in a signaling cascade that regulates various cellular processes such as proliferation, differentiation, and cell cycle progression in response to a variety of extracellular signals. This kinase is activated by upstream kinases, resulting in its translocation to the nucleus where it phosphorylates nuclear targets. Alternatively spliced transcript variants encoding different protein isoforms have been described. MAPK3 gene is mapped to human chromosome 16 by hybrid cell panel analysis.

Selected Validation Data

Product datasheet Anti-ERK1/MAPK3 Antibody Catalog Number: BM3999



Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn

