Anti-Survivin/BIRC5 Antibody (Clone#OTI2D9)

Catalog Number: MA00379



BOSTER BIOLOGICAL TECHNOLOGY

Special NO.1, International Enterprise Center, 2nd Guanshan Road, Wuhan, China

Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn

Basic Information	
Product Name	Anti-Survivin/BIRC5 Antibody (Clone#OTI2D9)
Gene Name	BIRC5
Source	Mouse
Isotype	IgG1
Species Reactivity	human
Tested Application	WB, IF, FCM
Contents	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Immunogen	Full length human recombinant protein of human BIRC5 (NP_001159) produced in HEK293T cell.
concentration	500 ug/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Observed MW	16.2KD
Dilution Ratios	Western blot (WB): 1:2000 Immunofluorescence (IF):1:100 Flow cytometry (FCM): 1:100

Storage

Stable for 12 months from date of receipt. Store at -20°C as received.

Background Information

This gene is a member of the inhibitor of apoptosis (IAP) gene family, which encode negative regulatory proteins that prevent apoptotic cell death. IAP family members usually contain multiple baculovirus IAP repeat (BIR) domains, but this gene encodes proteins with only a single BIR domain. The encoded proteins also lack a C-terminus RING finger domain. Gene expression is high during fetal development and in most tumors yet low in adult tissues. Antisense transcripts are involved in the regulation of this gene's expression. At least four transcript variants encoding distinct isoforms have been found for this gene, but the full-length natures of only three of them have been determined.

Selected Validation Data

Product datasheet

Anti-Survivin/BIRC5 Antibody (Clone#OTI2D9)

Catalog Number: MA00379



BOSTER BIOLOGICAL TECHNOLOGY

Special NO.1, International Enterprise Center, 2nd Guanshan Road, Wuhan, China

Web: www.boster.com.cn Phone: +86 027-67845390 Fax: +86 027-67845390 Email: boster@boster.com.cn




Figure 1. Immunohistochemical staining of paraffin-embedded Human liver tissue within the normal limits using anti-BIRC5 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH9.0, 120°C for 3min, MA00379, Dilution 1:50)